

**VOLTRAN 60****SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY**

|                         |   |
|-------------------------|---|
| Product Name            | <b>VOLTRAN 60</b>   |
| Product Type            | Petroleum Hydrocarbons  |
| Recommended Use         | Transformer Oil   |
| Company Information     | PETRON CORPORATION<br>San Miguel Head Office Complex<br>40 San Miguel Avenue, Mandaluyong City<br>PHILIPPINES |
| General Contact Numbers | (02) 8-882-9200   |
| Website                 | www.petron.com  |

**SECTION 2: HAZARDS IDENTIFICATION**

**GHS CLASSIFICATION**                      Aspiration Hazard - Category 1

**GHS LABELING**

Symbol(s)

Other Hazard Information:

Hazard Statement                              H304 – May be fatal if swallowed and enters airways

|                          |   |
|--------------------------|---|
| Precautionary Statements |   |
| Prevention               | P273 – Avoid release to environment   |
| Response                 | P301 + P310 – IF SWALLOWED: immediately call a POISON CENTER or doctor        |
| Storage                  | P405 – Store locked up  |
| Disposal                 | P501 – Dispose of contents / container to an approved waste disposal facility |

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Composition      | CAS Number   | % Weight |
|------------------|--------------|----------|
| Hydrotreated Oil | Mixture - NA | 100      |

**SECTION 4: FIRST AID MEASURES**

**Eye Contact**                                      Immediately flush eyes with large amount of water for at least 15 minutes or until irritation subsides. If irritation persists, get prompt medical attention.



|                     |  |
|---------------------|--|
| <b>Skin Contact</b> | Immediately flush with large amount of water; use soap if available. Remove contaminated clothing, including shoes, and laundry before reuse.  |
| <b>Inhalation</b>   | This product is not expected to present an inhalation problem at ambient temperature. However, if overexposed to oil mist, using proper respiratory protection, immediately remove the affected person immediately to fresh air. Administer artificial respiration if breathing is stopped. Keep at rest. Call for prompt medical attention. |
| <b>Ingestion</b>    | If swallowed, DO NOT induce vomiting. If individual is conscious, give milk or water to dilute stomach contents. Keep warm and quiet. Get immediate medical attention. DO NOT attempt to give anything by mouth to an unconscious person.  |

---

**SECTION 5: FIRE-FIGHTING MEASURES**

---

|   |   |
|---|---|
| <b>Flash Point, COC, °C</b>                         | 146   |
| <b>Extinguishing Media</b>                          | In case of fire use foam, carbon dioxide or dry chemical extinguishers.   |
| <b>Special Fire-fighting Procedures</b>             | Water jets should not be used directly on igniting products. Avoid spraying water directly into storage containers due to danger of over-boil. However, water may be used to cool exposed containers, structures and equipment adjacent to fire. Respiratory and eye protection required for fire-fighting personnel. |
| <b>Decomposition Products Under Fire Conditions</b> | Fumes, smoke, oxides of sulfur, nitrogen, carbon and other toxic gases may be formed.   |

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

|                    |   |
|--------------------|---|
| <b>Land Spill</b>  | Taking normal safety precaution, eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills, implement cleanup procedures. For large spills, implement clean-up procedures and, if in public area, keep public away and advise authorities. Prevent liquid from entering sewers, water courses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with a suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations. |
| <b>Water Spill</b> | Use booms to confine spills immediately. Remove from water surface by skimming or with suitable adsorbents. If allowed by local authorities and environmental agencies, sinking and/or suitable dispersants may be used in non-confined waters. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.  |

---

**SECTION 7: HANDLING AND STORAGE**

---

|                            |  |
|----------------------------|--|
| <b>Handling Procedures</b> | Keep away from potential sources of ignition. Open container in a well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Wash thoroughly after handling. "Empty" containers with retained product residue (liquid or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat, flame, sparks, static electricity or other sources of ignition; they may explode and cause death or injury. Empty drums should be completely drained, properly bunged and promptly returned to a drum re-conditioner, or properly disposed off. |
| <b>Storage Procedures</b>  | Do not store near potential sources of ignition. Store in a well-ventilated area. Odorous and toxic fumes may form from the decomposition of this product if   |



stored at temperatures in excess of 50°C for extended periods of time or if heat sources in excess of 70°C are used.

---

**SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**

---

**Exposure Controls** N/A

**Personal Protection**

|                         |   |
|-------------------------|---|
| Ventilation Procedures  | The use of local exhaust ventilation is recommended to control mists or vapors. Additional ventilation or exhaust may be required to maintain air concentrations below exposure limits.   |
| Hand Protection         | Use chemical resistant gloves.  |
| Eye Protection          | Where contact may occur, wear safety glasses with side shields.   |
| Respiratory Protection  | Use NIOSH/OSHA approved full-face respirator with a combination organic vapor and high efficiency filter cartridge if the recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, poorly ventilated areas and for large spill clean-up sites. |
| Clothing Recommendation | Wear either a chemical protective suit or apron when potential for contact with material exists. Use neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction.          |

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

---

|                                   |                                      |
|-----------------------------------|--------------------------------------|
| Appearance                        | Clear                                |
| Odor                              | Characteristic of petroleum products |
| Kinematic Viscosity at 40°C, cSt  | 9.560                                |
| Kinematic Viscosity at 100°C, cSt | N/A                                  |
| Density at 20°C                   | 0.8732                               |
| Flash Point, °C                   | 146                                  |
| pH                                | No data                              |
| Boiling Point, °C                 | No data                              |
| Melting Point, °C                 | No data                              |
| Vapor Pressure, kPa               | No data                              |
| Vapor Density                     | No data                              |
| Solubility in Water               | Insoluble                            |
| Evaporation Rate                  | No data                              |
| Flammability                      | Non flammable                        |
| Partition Coefficient             | No data                              |
| Auto-ignition Temp, °C            | No data                              |
| Decomposition Temp, °C            | No data                              |
| Explosion limits                  | No data                              |

---

**SECTION 10: STABILITY AND REACTIVITY**

---

**Stability** This product is stable and hazardous polymerization will not occur. .

**Incompatibility** Strong oxidizing agents





Material is non-hazardous under Occupational Safety and Health (Classification, Labeling, and Safety Data Sheet of Hazardous Chemical) Regulations 2013.

The Chemical Substances present in this product are listed under Philippine Inventory of Chemicals and Chemical Substance (PICCS).

---

|                    |                          |
|--------------------|--------------------------|
| <b>SECTION 16:</b> | <b>OTHER INFORMATION</b> |
|--------------------|--------------------------|

---

|                  |   |
|------------------|---|
| <b>Approvals</b> | Research and Development Department<br>Petron Corporation |
|------------------|---|

This safety data sheet contains the following revisions 7

This is a computer-generated form and does not require a signature.

---

The information and recommendations contained herein are based on the data sheet and sources believed to be accurate and correct and Petron makes no expressed or implied warranty with respect to the accuracy of the information or the suitability of the recommendations contained in the SDS. It is your responsibility to contact Petron to ensure that this document is the most current available from Petron. The information and recommendations are offered for the user's consideration and examination. It is the user's full responsibility to satisfy itself that the product is suitable for the intended use and to ensure the safe handling and use of the product. If the user repackages this product, it is the user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Petron accepts no responsibility and hereby disclaim all liability for any harmful effects which may be caused by purchase, resale, use, exposure or disposal of the product. Users must comply with all local laws and regulations. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted. The term, "Petron" is used for convenience, and may include any one or more of Petron Corporation, Petron Oil & Gas International Sdn Bhd or any affiliates in which they directly or indirectly hold any interest. In no event, shall Petron or its suppliers be liable for any direct or indirect loss

