

# Product Data Sheet

# **REV-X RX840 FULLY SYNTHETIC SAE 10W-40**

## Petron

#### DESCRIPTION

#### **PETRON REV-X RX840 FULLY SYNTHETIC**

SAE 10W-40 is a heavy-duty diesel engine oil designed to offer wear control, engine cleanliness and resistance to oxidation and corrosion benefits through extended drain performance.

### **PROPERTIES**

- Promotes extended oil drain . characteristics.
- Provides hardware protection and . reduction of off-road time.
- Provides engine cleanliness from Euro II to Euro VI hardware.

#### **APPLICATION**

Suitable for heavy duty diesel application

## **QUALITY LEVELS**

- It meets the specifications of:
  - ACEA E4
  - ACEA E7
  - API CF
  - Scania LDF-3
  - Daimler MB 228.5
  - MACK EO-N
  - Volvo VDS-3 .
  - Renault RLD-2
  - MTU Oil Category 3
  - MAN M3277
  - Cummins CES 20072

#### GRADE

SAE 10W-40

#### **TYPICAL CHARACTERISTICS\***

| Color, ASTM                       | L2.5   |
|-----------------------------------|--------|
| Density at 15 °C, kg/L            | 0.8666 |
| Kinematic Viscosity at 40°C, cSt  | 85.90  |
| Kinematic Viscosity at 100°C, cSt | 13.00  |
| Viscosity Index                   | 151    |
| Elash Point, COC, °C              | 230    |
| Flash Point, COC, °C              | 230    |
| TBN, mg KOH/g                     | 16.7   |
| Pour Point, °C                    | -33    |

\*Only typical results and may vary per production blend